


- 1 MAIN LEVEL FRAMING PLAN**  
 1/4"=1'-0"
- SEE STRUCTURAL NOTES ON SHEET S4.
  - INDICATES WOOD OR STEEL COLUMN BELOW.
  - INDICATES WOOD OR STEEL COLUMN THAT BEARS AT THIS LEVEL, SEE LEVEL ABOVE FOR SIZE.
  - ⊙ INDICATES WOOD OR STEEL COLUMN SIZE, SEE SCHEDULE ON SHEET S3.
  - ⌈H1⌋ INDICATES STEEL HANGER, STRAP OR OTHER HARDWARE, SEE SCHEDULE ON SHEET S3.
  - FRAMING MEMBERS SHOWN ON THESE PLANS ARE THERE TO ASSIST IN UNDERSTANDING THE GENERAL LAYOUT OF THE FRAMING SYSTEM. THE EXACT LOCATION AND SPACING OF MEMBERS MAY NEED ADJUSTMENT TO ACCOMMODATE CONDITIONS, HVAC, CONNECTIONS, HANGERS ETC. THE SPAN DIRECTION OF JOISTS, TRUSSES AND OTHER MEMBERS IS A CRITICAL ASPECT OF THE STRUCTURAL DESIGN. BEFORE CONSIDERING CHANGING SPAN DIRECTIONS OR GIRDER TRUSS LOCATIONS CONTACT ENGINEER. ALSO, THE LOCATIONS OF SUPPORT POSTS FOR BEAMS, LINTELS AND OTHER CONCENTRATED LOADS MAY BE APPROXIMATE AND FIELD VERIFICATION IS REQUIRED TO ENSURE THE CONTINUITY OF THE POST TO THE FOUNDATION, NOTIFY ENGINEER IF THERE ARE ANY CONFLICTS WITH THE LOCATIONS OF POSTS SHOWN ON THESE PLANS.



**Mattison Macdonald Young**  
**structural engineers**  
 Bassett Creek Business Center  
 901 North 3rd Street, Suite 100  
 Minneapolis, MN 55401  
 612-827-7825 voice  
 612-827-0805 fax

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

*Joe Cain*  
 JOE CAIN MN# 40119 11-29-18

**Dr. Marc Riedel & Ms. Emery Fall**  
 5995 Ridge Rd.  
 Shorewood, MN 55331  
 Tel: 612-275-9878